SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET TRIDENT

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	TRIDENT	
Product number	C010 EV	
Internal identification	Professional Hygiene	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Multi use sanitising powder. Suitable for use in the for	ood Industry.
1.3. Details of the supplier of the safety data sheet		
Supplier 1.4. Emergency telephone nu	UK Supplier: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: productcompliance@evansvanodine.co.uk	EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <u>www.evansvanodine.co.uk</u>) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm	
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112	
SECTION 2: Hazards identification		

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 2 - H411
2.2. Label elemente	

2.2. Label elements

Hazard pictograms



Signal word

Revision: 10

TRIDENT

Hazard statements	H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P235+P410 Keep cool. Protect from sunlight. P301+P313 IF SWALLOWED: Get medical advice/ attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P402+P404 Store in a dry place. Store in a closed container. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	EUH031 Contact with acids liberates toxic gas.
Contains	ALKYL BENZENE SULPHONIC ACID, Na-SALT & TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate)

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
SODIUM CARBONATE		25-30%
CAS number: 497-19-8	EC number: 207-838-8	20 00 %
Classification		
Eye Irrit. 2 - H319		
ALKYL BENZENE SULPHONIC	ACID, Na-SALT	5-10%
CAS number: 85117-50-6	EC number: 285-600-2	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318		
TROCLOSENE SODIUM, DIHYDRATE (Sodium Dichloroisocyanurate Dihydrate)		3-5%
CAS number: 51580-86-0	EC number: 220-767-7	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Eye Irrit. 2 - H319 STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

Г

	SODIUM SILICATE	3-5%	
	CAS number: —		
	Classification		
	Skin Irrit. 2 - H315		
	Eye Dam. 1 - H318		
The Full Text for all Hazard Statements are Displayed in Section 16.			
[SECTION 4: First aid measures		
	4.1. Description of first aid measures		
	Inhalation Remove person to fresh air and keep comfortable for breathing.		

Inhalation	Remove person to fresh air and keep comfortable for breathing.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.	
Skin contact	Wash with plenty of water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known. But - May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.	
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measures		
SECTION 5: Firefighting measure	sures	
SECTION 5: Firefighting meas	sures	
	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.1. Extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.1. Extinguishing media Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fr	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. om the substance or mixture Thermal decomposition or combustion products may include the following substances:	
5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fr Specific hazards	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. om the substance or mixture Thermal decomposition or combustion products may include the following substances:	
5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fr Specific hazards 5.3. Advice for firefighters Special protective equipment	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. om the substance or mixture Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
 <u>5.1. Extinguishing media</u> Suitable extinguishing media <u>5.2. Special hazards arising fr</u> Specific hazards <u>5.3. Advice for firefighters</u> Special protective equipment for firefighters SECTION 6: Accidental release 	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. om the substance or mixture Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
 <u>5.1. Extinguishing media</u> Suitable extinguishing media <u>5.2. Special hazards arising fr</u> Specific hazards <u>5.3. Advice for firefighters</u> Special protective equipment for firefighters SECTION 6: Accidental release 	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. <u>om the substance or mixture</u> Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. <u>se measures</u>	
 <u>5.1. Extinguishing media</u> Suitable extinguishing media <u>5.2. Special hazards arising fr</u> Specific hazards <u>5.3. Advice for firefighters</u> Special protective equipment for firefighters <u>SECTION 6: Accidental release</u> <u>6.1. Personal precautions, proc</u> 	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. <u>om the substance or mixture</u> Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. <u>se measures</u> <u>tective equipment and emergency procedures</u> Wear eye and face protection. Avoid inhalation of dust. For personal protection, see Section 8.	

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section	<u>s</u>	
Reference to other sections	Reference to other sections For personal protection, see Section 8.	
SECTION 7: Handling and stor	age	
7.1. Precautions for safe handling		
Usage precautions	Wear eye protection. Avoid inhalation of dust. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water. DO NOT mix with other chemicals. Contact with acids liberates toxic gas.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from the following materials: Acids.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	See Product Information Sheet & Label for detailed use of this product.	
SECTION 8: Exposure controls/Personal protection		

8.1. Control parameters Occupational exposure limits

SODIUM CARBONATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m 3 WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.	
Eye/face protection	Wear eye protection.	
Hand protection	No specific hand protection recommended. For prolonged or repeated skin contact use suitable protective gloves.	
Other skin and body protection	None required.	
Respiratory protection	Respiratory protection not required.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Appearance	Powder.	
Colour	Blue.	
Odour	Faint Chlorine.	
рН	pH (diluted solution): 10.5 - 11.5 @ 1%	

Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not applicable.
9.2. Other information	
Other information	None.
	Not available.
Particle size	NOT available.
Particle size SECTION 10: Stability and rea	
SECTION 10: Stability and rea	
SECTION 10: Stability and rea 10.1. Reactivity	activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact
SECTION 10: Stability and rea 10.1. Reactivity Reactivity	activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns.
SECTION 10: Stability and rea 10.1. Reactivity Reactivity <u>10.2. Chemical stability</u> Stability	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns.
SECTION 10: Stability and read 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns. reactions
SECTION 10: Stability and read 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns. reactions
SECTION 10: Stability and real10.1. ReactivityReactivity10.2. Chemical stabilityStability10.3. Possibility of hazardousPossibility of hazardousreactions10.4. Conditions to avoid	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns. <u>reactions</u> See sections 10.1,10.4 & 10.5 Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid
SECTION 10: Stability and read 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns. <u>reactions</u> See sections 10.1,10.4 & 10.5 Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid
SECTION 10: Stability and real10.1. ReactivityReactivity10.2. Chemical stability10.2. Chemical stabilityStability10.3. Possibility of hazardousPossibility of hazardousreactions10.4. Conditions to avoidConditions to avoid10.5. Incompatible materials	Activity Generates toxic gas in contact with acid. The product will harden into a solid mass in contact with water and moisture. No particular stability concerns. Feactions See sections 10.1,10.4 & 10.5 Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid mass in contact with water and moisture. Strong acids. Aluminium, Tin, Zinc and their alloys.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	6,202.53
Acute toxicity - dermal	
Summary	Not applicable.
Acute toxicity - inhalation	
Summary	Not applicable.
Skin corrosion/irritation	
Summary	Not applicable.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye damage.
Respiratory sensitisation	
Summary	Not applicable.
Skin sensitisation	
Summary	Not applicable.
Germ cell mutagenicity	
Summary	Not applicable.
Carcinogenicity	
Summary	Not applicable.
Reproductive toxicity	
Summary	Not applicable.
Specific target organ toxicity - s	single exposure
Summary	Not applicable.
Specific target organ toxicity - r	epeated exposure
Summary	Not applicable.
Aspiration hazard	
Summary	Not applicable.
11.2. Information on other Haza	ards None known.
1.2.1. Endocrine disrupting properties None known.	

	SECTION 12: Ecological information		
Ecotoxicity	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
12.1. Toxicity			
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.		
12.2. Persistence and degrada	bility		
Persistence and degradability	Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.		
12.3. Bioaccumulative potentia	1		
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.		
Partition coefficient	Not applicable.		
<u>12.4. Mobility in soil</u>			
Mobility	Not known.		
12.5. Results of PBT and vPvB	assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Endocrine disrupting properties	None known.		
12.7. Other adverse effects			
Other adverse effects	dverse effects None known.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
13.1. Waste treatment methods	<u>8</u>		
<u>13.1. Waste treatment methods</u> Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.		
	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.		
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.		
Disposal methods SECTION 14: Transport inform	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations.		
Disposal methods SECTION 14: Transport inform General <u>14.1. UN number</u> UN No. (ADR/RID)	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations.		
Disposal methods SECTION 14: Transport inform General 14.1. UN number	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations. Reference: IMDG section 2.10.2.7 / ADR Special Provision 375.		
Disposal methods <u>SECTION 14: Transport inform</u> General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations. Reference: IMDG section 2.10.2.7 / ADR Special Provision 375. 3077 3077 3077		
Disposal methods SECTION 14: Transport inform General 14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) 14.2. UN proper shipping name	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations. Reference: IMDG section 2.10.2.7 / ADR Special Provision 375. 3077 3077 3077		
Disposal methods <u>SECTION 14: Transport inform</u> General <u>14.1. UN number</u> UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations. Reference: IMDG section 2.10.2.7 / ADR Special Provision 375. 3077 3077 3077		
Disposal methods SECTION 14: Transport inform General 14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) 14.2. UN proper shipping name	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. ation Packs 5 kilos and under are exempt from Transport Regulations. Reference: IMDG section 2.10.2.7 / ADR Special Provision 375. 3077 3077 3077 3077 D) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		

14.3. Transport hazard class(es)

ADR/RID class	Class 9: Environmentally Hazardous Substance
ADR/RID label	9
IMDG class	Class 9: Environmentally Hazardous Substance
ICAO class/division	Class 9: Environmentally Hazardous Substance

Transport labels

14.4. Packing group

ADR/RID packing group	111	
IMDG packing group	Ш	
ICAO packing group	Ш	
14.5. Environmental hazards		

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Tunnel restriction code	(-)

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Not relevant for a packaged product. Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

LegislationSafety Data Sheet prepared in accordance with EU Regulation: "REACH Commission
Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 &
1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.)
(EU Exit) Regulations 2020.".The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008
classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No.
1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained
Use) (Amendment etc.) (EU Exit) Regulations 2020."Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No

1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 1	6: Ot	her inforr	nation
-----------	-------	------------	--------

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures	Calculation Method.
Revision comments	Addition of New EU Supplier Address and also now exempt from Transport Regs in 5Kg pack. No change in product classification. (Changes made to sections 1,14+16)
Revision date	01/10/2024
Revision	10
	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	 H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.